



TEL: 01446 772614 Email [info@storage-design.ltd.uk](mailto:info@storage-design.ltd.uk)

**QB** HEAVY DUTY  
CLIPLESS SHELVING



CONTACT US: We are always happy to talk!

Storage Designs Limited  
Primrose Hill  
Cowbridge  
South Wales  
CF71 7DU

TEL: 01446 772614  
FAX: 01446 774770  
Email [info@storage-design.ltd.uk](mailto:info@storage-design.ltd.uk)

Peter Bird for project sales and installations  
Tim Bird for Catalogue and Web Sales



**QB** HEAVY DUTY  
CLIPLESS SHELVING



*With impressive spans and weight loading,  
QB is the versatile shelving system that is  
ideal for warehousing, retail, and stock rooms*

**QB**

HEAVY DUTY  
CLIPLESS SHELVING

QB is a highly versatile and hard wearing shelving system. Designed as a step between regular shelving and pallet racking, it is an established solution in warehousing, store rooms, retail and many other sectors.

Our product is made in the UK and is highly adaptable with adjustable shelves and a number of accessories. It is a viable alternative to mezzanine installations when configured as a two tier pick tower.



**QB** HEAVY DUTY  
CLIPLESS SHELVING



# QB

HEAVY DUTY  
CLIPLESS SHELVING

*QB is available with open, clad and perforated frames. Mesh backs are also available*



Popular with retailers, QB has optional accessories including Lockable cupboard doors, garment hanging rails, shelf trays and bin fronts. It may be configured to match the needs of the sector into which it is installed.

**QB** HEAVY DUTY  
CLIPLESS SHELVING



*Standard beams are located top and bottom on the frame whilst fully adjustable carrier bars allow your system to be built to your specification*

QB

HEAVY DUTY  
CLIPLESS SHELVING





**QB** HEAVY DUTY  
CLIPLESS SHELVING



*Optional drawer units can add secure storage  
to your system*

QB

HEAVY DUTY  
CLIPLESS SHELVING



*QB has proven to be the viable alternative to mezzanine floors, and has flexibility in the height of its walk ways, as well as accessories such as goods lifts and conveyors.*



# QB


HEAVY DUTY  
CLIPLESS SHELVING



*Popular for small to large part storage, QB is a mainstay of the automotive industry where it can be configured for wheel/tyre storage as well as clutch and exhaust inventories*



**HEAVY DUTY  
CLIPLESS SHELVING**





*A non invasive, surface mounted mobile base allows a staggering increase of up to 50% available storage capacity. In areas cramped or large, these easy to operate hand driven units will ensure stable storage as well as easy access to the stored items*



QB

HEAVY DUTY  
CLIPLESS SHELVING



*Extra width QB shelving is available, and features a two or three part shelf that increases the span and reduces the number of frames required*



**QB** HEAVY DUTY  
CLIPLESS SHELVING



## SHELF & BAY INFORMATION

No. of Bays	600 mm Wide	900 mm Wide	1000 mm Wide	1200 mm Wide
1	663	963	1063	1263
2	1274	1874	2074	2474
3	1885	2785	3085	3685
4	2496	3696	4096	4896
5	3107	4607	5107	6107
6	3718	5518	6118	7318
7	4329	6429	7129	8529
8	4940	7340	8140	9740
9	5551	8251	9151	10951
10	6162	9162	10162	12162
11	6773	10073	11173	13373
12	7384	10984	12184	14584
13	7995	11895	13195	15795
14	8606	12806	14206	17006
15	9217	13717	15217	18217
16	9828	14628	16228	19428
17	10439	15539	17239	20639
18	11050	16450	18250	21850
19	11661	17361	19261	23061
20	12272	18272	20272	24272

QB

HEAVY DUTY  
CLIPLESS SHELVING



## SHELVES

WIDTH	
Nominal	Actual
600	592
900	892
1000	992
1200	1192

DEPTH	
Nominal	Actual
250	242
300	292
400	392
450	442
500	492
600	592
750	742
900	892




**QB** HEAVY DUTY  
CLIPLESS SHELVING



## DIVIDERS

This component has a vertical safe edge rolled on both front and rear so that it may be used with open or closed bays of shelving. It locates between adjoining shelves and is retained in position by means of steel divider clips. All shelves have holes pierced to receive dividers @ 50mm centres in the length beginning 96 mm from the side of the shelf. The range of heights available is 150mm, 225mm, 300mm, 375mm and 450mm.





## BAY & FRAME DATA

Nominal Frame Depth mm	Actual Frame Depth mm
250	265
300	315
400	415
450	465
500	515
600	615
750	765
900	915

Nominal bay width in mm	Actual Bay Centres mm	Clear Span mm
600	611	559
900	911	859
1000	1011	959
1200	1211	1159
Xtraspan 1800	1822	1770

Nominal Frame Height mm	Actual Frame Height mm
1800	1796
2100	2096
2400	2396
2700	2696
3000	2996

Nominal Frame Height mm	Actual Frame Height mm
3300	3296
3600	3596
3900	3896
4200	4196



Shelf Width mm	Plain Shelf Kgs.	Ibs	Single Reinforced Shelf Kgs.	Ibs.
600	170	375	275	605
900	170	375	275	605
1000	140	300	225	495
1200	110	240	180	396
Xtraspan 1800	340	750	-	-

All shelf loads are quoted as Uniformly Distributed Loads.

The following table shows the maximum loads for different beam centres for a single-tier application.

Beam Centres mm	Bay Load Kgs.	Ibs
2100	1817	3997
1800	2000	4400
1500	2590	5698
1200	3700	8140
1000	4280	9416
700	6000	13200



QB

HEAVY DUTY  
CLIPLESS SHELVING